\mathcal{X}		\sim
	Application No.	Applicant(s)
Notice of Allowability	10/770,625	OBENSHAIN, JAMES ROBERTS
	Examiner	Art Unit
	Elizabeth A. Shaw	3644
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the application filed on Feb. 4, 2004.		
2. The allowed claim(s) is/are <u>1-3</u> .		
3. 🗵 The drawings filed on <u>04 February 2004</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informa	al Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	ary (PTO-413), Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	08), 7. ☐ Examiner's Ame	ndment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		ement of Reasons for Allowance
of Biological Material	9. 🗌 Other	
	·	į

Application/Control Number: 10/770,625

Art Unit: 3644

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: prior art does not disclose a seed port for use with a bird feeder wherein the seed port is convertible to accommodate seeds of various sizes comprising a carriage member insertable through an opening in the reservoir and having an attachment means extending into the interior of the reservoir and having a framing flange defining an opening in the carriage such that the framing flange is larger than the opening in the reservoir to limit full insertion of the carriage; a baffle guide attached to the framing flange and positioned above and within the opening in the carriage member; a baffle insertable within the guide having a shoulder positioned to impact the framing flange to prevent the full insertion of the baffle into the carriage member and a disk member conforming to the size and shape of the framing flange having a generally centered aperture to permit access to only same seeds. The disk fitting within the framing flange only in the absence of the baffle, the two cannot be used concurrently. Prior art does disclose the presence of baffles to direct the flow of seeds or protect the seeds from weather and prior art does show instances where access to seeds is restricted dues to the size of the opening but there are no occurrences of both a baffle and a size restrictive device being used in the same insertable area consecutively.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/770,625 Page 3

Art Unit: 3644

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Included for further reference on bird feeders are: Graham (4,974,547), Bescherer (5,215,039), Fasino (5,701,841), Potente (6,305,321), Lieb et al (6,408,788) and Bransky et al (D352,575).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth A. Shaw whose telephone number is 703-308-1853. The examiner can normally be reached on M-Th 9:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on 703-305-7421. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Elizabeth A. Shaw

Examiner

Art Unit 3644

September 3, 2004

TERI P. LUU SUPERVISORY PRIMARY EXAMINER